

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Cold White Rhodium Solution SKU# 2100904, 2100906

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Metal surface treatment products

1.3. Details of the supplier of the safety data sheet

Gesswein
201 Hancock Ave., Bridgeport, CT 06605
Phone: 203-366-5400, FAX: 203-366-3953
email: info@gesswein.com, www.gesswein.com

Emergency phone number: CHEMTELL - 800-255-3924

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Suspected of causing genetic defects.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

sulphuric acid 96 %

Rhodium (III) Sulfate

Signal word:

Danger

Pictograms:**Hazard statements**

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

H341

Suspected of causing genetic defects.

Precautionary statements

P201

Obtain special instructions before use.

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 2 of 8

P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original packaging.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in a corrosion-resistant container with a resistant inner liner.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7664-93-9	sulphuric acid 96 %			max. 15 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
10489-46-0	Rhodium (III) Sulfate			2 %
	234-014-5			
	Met. Corr. 1, Muta. 2, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H341 H314 H318 H335			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

In case of accident or if you feel unwell, seek medical advice immediately (show this label if possible).

After contact with skin

Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 3 of 8

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO₂). Foam. Water. Extinguishing powder. Water spray. alcohol resistant foam. Dry extinguishing powder.**Unsuitable extinguishing media**

High power water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to the escape of irritating gases and vapours.

5.3. Advice for firefighters

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from unprotected people. Keep upwind.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Wear suitable protective clothing and eye/face protection.

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Only use containers specifically approved for the substance/product.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7664-93-9	Sulphuric acid (mist)	-	0.05		TWA (8 h)	WEL

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 4 of 8

**Protective and hygiene measures**

Do not eat, drink, smoke or sneeze at the workplace.
Take off immediately all contaminated clothing.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Skin protection

Personal protection equipment

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid	
Colour:	yellow-orange	
Odour:	odourless	
pH-Value (at 20 °C):		<1

Changes in the physical state

Initial boiling point and boiling range:	ca. 100 °C
Sublimation point:	not determined

Explosive properties

not explosive.

Decomposition temperature:	No data available
----------------------------	-------------------

Oxidizing properties

Not oxidising.

Density (at 20 °C):	1,09 g/cm ³
Water solubility:	highly soluble.

Solubility in other solvents

not determined

Vapour density:	not determined
Evaporation rate:	not determined
Solvent separation test:	not applicable

SECTION 10: Stability and reactivity**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No information available.

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 5 of 8

10.5. Incompatible materials

Alkalis (alkalis), concentrated.
Corrosive to metals

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

This mixture does not contain further substances fulfilling the criteria of hazard class "acute toxicity" according to CLP regulation.

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing genetic defects. (Rhodium (III) Sulfate)
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information**12.1. Toxicity**

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Can be reused after processing.

Waste disposal number of waste from residues/unused products

110112 WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY; wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphating, alkaline degreasing, anodising); aqueous rinsing liquids other than those mentioned in 11 01 11

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906


Page 6 of 8

Contaminated packaging


Contaminated packages must be completely emptied and can be re-used following proper cleaning.

For cleaning up : Water (with cleaning agent)


SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	
Classification code:	C1
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2

Marine transport (IMDG)

14.1. UN number:	UN 3264
14.2. UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es):	8
14.4. Packing group:	II
Hazard label:	8
	
Special Provisions:	274

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 7 of 8

Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3264
14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric acid, rhodium-III-sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: A3 A803
 Limited quantity Passenger: 0.5 L
 Passenger LQ: Y840
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 851
 IATA-max. quantity - Passenger: 1 L
 IATA-packing instructions - Cargo: 855
 IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	Calculation method
Muta. 2; H341	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H341 Suspected of causing genetic defects.

Gesswein Cold White Rhodium Solution

Revision date: 26.08.2019

Product code: 2100904, 2100906

Page 8 of 8

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)