

SAFETY DATA SHEET

SECTION 1 / Identification

IDENTITY: RED ROUGE COMPOUND

PRODUCT CODE: 2151154, 2151156

Product Use: Compound Buffing

Supplier Information

Paul H. Gesswein & Co., Inc.

201 Hancock Ave., Bridgeport, CT 06605

Phone: 203-366-5400, FAX: 203-366-3953

email: info@gesswein.com, www.gesswein.com

Emergency phone number: CHEMTELL - 800-255-3924

SECTION 2: Hazard(s) Identifications

Buffing compounds as shipped do not present a hazard.

Buffing operations may cause lint and abrasives to become airborne. Proper ventilation and respirator recommended.



Signal Word:

Warning

SECTION 3: Composition/information on ingredients

Substance:	CAS No.	%
Saturated Fatty Acids	57-11-4	7 to 25%
Metal Oxides	1344-28-1	less than 85%
Petrolatum	8009 03 8	less than 2%
Triethanolamine	000102-71-6	less than 2%

SECTION 4: First Aid Measures

Ingestion: If swallowed - Seek medical attention
Inhalation: Move to a fresh air environment
Eye Contact: Flush thoroughly with water / call physician
Skin Contact: Wash with warm water and soap

SECTION 5: Firefighting measures

Flash Point (method used) 350°(CoC)
LEL: N/A
Extinguishing Media: Co2 / Dry chemical
Special Fire Fighting Instructions: Use air packs / treat as grease fire
Unusual Fire and Explosion Hazards: Dense smoke
Flammable Limits: No Data
UEL: N/A

SECTION 6: Accidental release measures

Released or spilled - Sweep up. Normal clean up procedures apply. Care taken to avoid dust from becoming airborne.

SECTION 7: Handling and Storage

Follow normal clean up procedures in accordance with State and local laws.
Do not store near direct sources of heat
Store in cool / dry area

SECTION 8: Exposure controls/personal protection

Hazardous Guidelines:

Hazardous Component	OSHA PEL	ACGIH / TLV
Saturated Fatty Acids	15mg./m ³	5mg./m ³
Metal Oxides	15mg./m ³	5mg./m ³
Petrolatum	15mg./m ³	5mg./m ³
Triethanolamine	N/A	N/A

Ventilation: Local Exhaust Fan or open window
Respiratory Protection: Dust respirator - NIOSH / MOHA
Gloves: Yes

Eye Protection Safety glasses

Other: Long sleeve protective clothing

Wash hands thoroughly with soap and water after direct contact handling

SECTION 9: Physical and chemical properties

Boiling Point:450°F

Vapor Pressure (mm Hg):N/A

Vapor Density: N/A

Solubility in Water: Yes

Appearance & Odor: Bar form / Red

Specific Gravity: 1.5 - 3.5

Melting Point: 140° F

Evaporation Rate: N/A
(Butyl Acetate=1)

SECTION 10: Stability and Reactivity

Stability: Stable

Incompatibility:N/A

Hazardous Decomposition of By-Products:N/A

Hazardous Polymerization:Will not occur

SECTION 11: Toxological Information

Route(s) of Entry : **Inhalation:** Yes **Skin:** No **Ingestion:** Yes

Health Hazards (Acute and Chronic): Buffing compounds as shipped do not present a hazard. Buffering operations may cause lint and abrasives to become airborne. Respirator and ventilation required.

Carcinogenicity:N/A

NTP: N/A

IARC Monographs: N/A

OSHA Regulated N/A

SECTION 12: Ecological information (Non-Mandatory)

SECTION 13: Disposal considerations (Non-Mandatory)

SECTION 14: Transport Information (Non-Mandatory)

SECTION 15: Regulatory Information (Non-Mandatory)

SECTION 16: Other Information (Non-Mandatory)

Revision Date: 1/15/2015

Revision Summary:

Update all sections

Revised By: A.Battle